



MODEL PONTE

	S2	S2	EKO	EKO (2)	S6	B / C	D/E	F
	ADORE	SILENT	TEDDY	BONANZA	JUMPER	TOLEDO	GRANADA	TRIBE
	ALPINE	ADAM				(+ SPLIT)	KENIA	
	FUSION	BERGEN					RANCHO	
							VINTAGE	
							TOUCH	
2½ + 1½LCH	2.329	2.329	2.489	NVT	NVT	NVT	NVT	NVT
3	1.423	1.423	1.521	NVT	NVT	NVT	NVT	NVT
2½	1.294	1.294	1.383	NVT	NVT	NVT	NVT	NVT
2	1.165	1.165	1.244	NVT	NVT	NVT	NVT	NVT
1½	1.035	1.035	1.106	NVT	NVT	NVT	NVT	NVT
1	906	906	968	NVT	NVT	NVT	NVT	NVT
3 L/R	1.294	1.294	1.383	NVT	NVT	NVT	NVT	NVT
2½ L/R	1.165	1.165	1.244	NVT	NVT	NVT	NVT	NVT
1½LCH	1.165	1.165	1.244	NVT	NVT	NVT	NVT	NVT

TECHNISCHE GEGEVENS

GERAAMTE	HARDHOUTEN REGELS + VEZELPLAAT
ZITTING	NOSAG VERING + HR 36 MEDIUM
RUG	ELASTISCHE SINGLE BAND + HR 36 SOFT
BEKLEDING	STOF
POTEN	HOUT
STIKSEL	TON SUR TON

MATEN(CM)	3	2½	2	1½	1	1½LCH		
BREED	226	206	176	136	104	113		
HOOG	77	77	77	77	77	77		
DIEP	100	100	100	100	100	146		

MATEN(CM)	3 L/R	2½ L/R	2 L/R	1½ L/R	1 L/R			
BREED	203	183	153	113	82			
HOOG	77	77	77	77	77			
DIEP	100	100	100	100	100			

MATEN(CM)	3 ZA	2½ ZA	2 ZA	1½ ZA	1 ZA			
BREED	180	160	130	90	60			
HOOG	77	77	77	77	77			
DIEP	100	100	100	100	100			

1

2

.

|

|

|

