



MODEL SOPRA

	S2	S2	EKO	EKO (2)	B / C	D	E	F
	ADORE	MARS	BULL	BONANZA	TOLEDO	GRANADA	TOUCH	TRIBE
	ALABAMA	MIAMI	JERSEY		(+ SPLIT)	KENIA		
	ALPINE	OASIS	HUNTER			RANCHO		
	BE LOVELY	RELAX				VINTAGE		
	BERGEN	MITO						
	BRAVE	RIVER						
	FUSION	SHEEP						
	JEEP	SILENT						
	LEAF							
3+2	2.350	2.350	2.452	2.551	NVT	NVT	NVT	NVT
3	1.292	1.292	1.348	1.402	NVT	NVT	NVT	NVT
2	1.058	1.058	1.104	1.148	NVT	NVT	NVT	NVT
1½	940	940	980	1.020	NVT	NVT	NVT	NVT
1	822	822	858	894	NVT	NVT	NVT	NVT
3 L/R	1.174	1.174	1.226	1.276	NVT	NVT	NVT	NVT
2 L/R	898	898	980	1.020	NVT	NVT	NVT	NVT
1½ L/R	822	822	858	894	NVT	NVT	NVT	NVT
1 L/R	706	706	736	766	NVT	NVT	NVT	NVT
3 ZA	1.058	1.058	1.104	1.148	NVT	NVT	NVT	NVT
2 ZA	822	822	858	894	NVT	NVT	NVT	NVT
1½ ZA	706	706	736	766	NVT	NVT	NVT	NVT
1 ZA	588	588	614	638	NVT	NVT	NVT	NVT
1¼LCH	1.058	1.058	1.104	1.148	NVT	NVT	NVT	NVT



MODEL SOPRA

TECHNISCHE GEGEVENS

GERAAMTE	HARDHOUTEN REGELS + VEZELPLAAT
ZITTING	NOSAG VERING + HR 35 MEDIUM
RUG	ELASTISCHE SINGLE BAND + SG 25 HYPERSOFT
BEKLEDING	LEDER MET STOF BOVENLAAG + STOF
POTEN	HOUT, ZWART, KOLONIAAL, ONBEWERKT
STIKSEL	TON SUR TON

MATEN(CM)	3	2	1½	1				
BREED	240	180	150	120				
HOOG	70	70	70	70				
DIEP	100	100	100	100				

MATEN(CM)	3 L/R	2 L/R	1½ L/R	1 L/R				
BREED	210	150	120	90				
HOOG	70	70	70	70				
DIEP	100	100	100	100				

MATEN(CM)	3 ZA	2 ZA	1½ ZA	1 ZA	1½LCH			
BREED	180	120	90	60	120			
HOOG	70	70	70	70	70			
DIEP	100	100	100	100	174			



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

